

UNIVERSAL safety cam SAFETY AT YOUR Work

Wireless camera system for lift trucks and other industrial machines

Why a camera system for lift trucks?

Moving pallets


- reduced stress for driver
- reduced amount of damaged goods and racks

Reversing

- less neck or back pain for driver
- less risk of collisions

Advantages

- quick and easy installation in 3-5 minutes
- no need for cables,
 no special cable reel needed,
 no more broken cables
- easy to mount or reposition
- digital transfer of data: no interference or distortion of the signal
- the camera can send the images through the wireless digital transfer to the monitor, with a range of 150 m in open air







Jallahalli West, Kalanagar Main Road, Bangalore – 560015 Phone: 8494900615, 8050216552 Email: eande.universal@gmail.com



Technical specifications:

Wireless video camera

Transmitting frequency: ISM 2,4 GHz
Transmission power: 20 mW/CE/FCC

· Channels: 4

Resolution: 640 x 480 VGA

Angle H: 82° - V: 59°

Minimum illumination: 0 lux

• IR night vision: < 25 m²

Power supply: DC 12 V/48 V

Power consumption: 260 mA (IR OFF) - 450 mA (IR ON)

• Operating temperature: -20 °C to +50 °C

· Weight: 636 g

Wireless 7" LCD-monitor

• LCD screen type: TFT-LCD

• Display size: 7"

Resolution: 640 x 480 VGA

Transmitting distance: 30-120mtr

• Channels: 4

Power supply: DC 10 V/32 V

Power consumption: 6W

Operating Frequency: 2400-2483.5MHz

Operating temperature: -20 °C to +50 °C

Battery pack


Battery type: lithium polymer

Battery capacity: 2000mAh (500mAh, 8000mAh, 10000mAh optional)

Output voltage: 12 V

Jallahalli West, Kalanagar Main Road, Bangalore – 560015 Phone: 8494900615, 8050216552 Email: eande.universal@gmail.com











Jallahalli West, Kalanagar Main Road, Bangalore – 560015 Phone: 8494900615, 8050216552 Email: eande.universal@gmail.com